

Announcements and Such

- Today's Music: Janelle Monáe — *The ArchAndroid*
- Last time we talked about administrative stuff.
 - If you need a syllabus, pick one up from us today. Then: study the website, and ask your me or your GSI any questions you have.
- Sections will meet Monday & Friday (starting this Friday).
 - Bledin: 1-3:30 MF. Students AHN - LIN. Room: 213 Wheeler.
 - Lawrence: 1-3:30 MF. Students LIU - ZHANG. Room: 130 Wheeler.
- HW #1 has been posted (it will be done as a "quiz" in section Friday).
- I've also posted a handout on *validity and soundness*, and a handout on *tips & guidelines for homeworks*. You should download & study these.
- HW #2 will be posted tomorrow (it will be due next Thursday).
- Today: Intro. & Chapter 1, continued. Then, Chapter 2: Our first formal logical theory/framework — the Language of Sentential Logic (LSL).

Informal ("Absolute") Validity — Our Fundamental Concept

- An *argument* is a collection of *propositions*, one of which (the *conclusion*) is meant to *follow-from* the others (the *premises*).
- From a *logical* point of view, an argument \mathcal{A} is "good" just in case its conclusion *does* follow-from its premises — that is, if \mathcal{A} is *valid*.
- Our (informal) definition of validity is as follows:


Definition. \mathcal{A} is *valid* iff it is (*logically!*) *impossible* for both of the following to be true simultaneously (*i.e.*, in the same situation):

 - (1) All of \mathcal{A} 's premises are true.
 - (2) \mathcal{A} 's conclusion is false.
- A more operational way of understanding the definition is as follows.
 - *Suppose* that all of \mathcal{A} 's premises are true. Then, try to imagine a situation (or possible world) *like that* in which \mathcal{A} 's conclusion is false. If that *is* conceivable, then \mathcal{A} is *invalid* (otherwise, \mathcal{A} 's valid).

Validity, Soundness, and "All-Things-Considered Good" Arguments

- A "good" argument is one in which the conclusion follows from the premises. But, intuitively, there is more to a "good" argument (all things considered) than mere validity. [But, after chapter 1, we won't care.]
- Ideally, arguments should also have (actually) *true premises*. If the premises of an argument are (actually) false, then (intuitively) the argument isn't very "good" (or actually useful) — even if it is valid.
- ☞ **Definition.** An argument \mathcal{A} is *sound* if and only if *both*:
 - (i) \mathcal{A} is valid, *and* (ii) all of \mathcal{A} 's premises are (actually) true.
- So, there are two components or aspects of "good" arguments:
 - Logical Component: Is the argument valid?
 - Non-Logical Component: Are the premises (actually) true?
- This course is only concerned (after Ch. 1) with the *logical* component.

Is it possible that all of \mathcal{A} 's premises are true, *but* \mathcal{A} 's conclusion is false?



- Let's apply this to some (non-sentential) examples...

Validity and Soundness of Arguments — Some (Non-Sentential) Examples

- Can we classify the following according to validity/soundness?

1) All wines are beverages. Chardonnay is a wine. Therefore, chardonnay is a beverage.	5) All wines are beverages. Chardonnay is a beverage. Therefore, chardonnay is a wine.
2) All wines are whiskeys. Chardonnay is a wine. Therefore, chardonnay is a whiskey.	6) All wines are beverages. Ginger ale is a beverage. Therefore, ginger ale is a wine.
3) All wines are soft drinks. Ginger ale is a wine. Therefore, ginger ale is a soft drink.	7) All wines are whiskeys. Chardonnay is a whiskey. Therefore, chardonnay is a wine.
4) All wines are whiskeys. Ginger ale is a wine. Therefore, ginger ale is a whiskey.	8) All wines are whiskeys. Ginger ale is a whiskey. Therefore, ginger ale is a wine.

	Valid	Invalid
True premises True conclusion	All wines are beverages. Chardonnay is a wine. Therefore, chardonnay is a beverage. [sound]	All wines are beverages. Chardonnay is a beverage. Therefore, chardonnay is a wine. [unsound]
True premises False conclusion	Impossible None exist	All wines are beverages. Ginger ale is a beverage. Therefore, ginger ale is a wine. [unsound]
False premises True conclusion	All wines are soft drinks. Ginger ale is a wine. Therefore, ginger ale is a soft drink. [unsound]	All wines are whiskeys. Chardonnay is a whiskey. Therefore, chardonnay is a wine. [unsound]
False premises False conclusion	All wines are whiskeys. Ginger ale is a wine. Therefore, ginger ale is a whiskey. [unsound]	All wines are whiskeys. Ginger ale is a whiskey. Therefore, ginger ale is a wine. [unsound]

- See, also, our validity and soundness handout ...

Some Brain Teasers Involving Validity and Soundness

- Here are two very puzzling arguments involving *self-reference*:

(\mathcal{A}_1) Either \mathcal{A}_1 is valid or \mathcal{A}_1 is invalid.
∴ \mathcal{A}_1 is invalid.

(\mathcal{A}_2) \mathcal{A}_2 is valid.
∴ \mathcal{A}_2 is invalid.

- I'll discuss \mathcal{A}_2 (\mathcal{A}_1 is left as an exercise).
 - If \mathcal{A}_2 is valid, then it has a true premise and a false conclusion. But, this means that if \mathcal{A}_2 is valid, then \mathcal{A}_2 invalid!
 - If \mathcal{A}_2 is invalid, then its conclusion must be true (as a matter of logic). But, this means that if \mathcal{A}_2 is invalid then \mathcal{A}_2 is valid!
 - This *seems* to imply that \mathcal{A}_2 is *both valid and invalid*. But, remember our conservative validity-principle. What is the *logical form* of \mathcal{A}_2 ?
 - Self-reference is weird, and we won't bother too much with it ...

Absolute Validity vs Formal Validity

- Forbes calls the general, informal notion of validity "absolute validity".
- Our notion is a bit more conservative than his, since we'll only call an argument valid if one of our *formal theories* captures it as falling under a valid *form*. Our first formal theory (LSL) is about *sentential* validity.
- An argument is *sententially* valid if it has a valid *sentential form*.
- Sentential form is obtained by replacing each basic or atomic sentence in an argument with a corresponding lower-case letter.
- Once we know the sentential form of an argument (chapter 2), we will be able to apply purely formal, mechanical methods (chapters 3 and 4) for determining whether that sentential form is valid.
- ☞ Even if an argument fails to be sententially valid, it could still be valid according to a richer logical theory than LSL. We'll see two or three theories like this later in the course (LMPL, L2PL, and LFOL).

Digression: Object language, Metalanguage, etc. ...

- LSL is the *object language* of our current studies. The symbol string ' $(A \& B) \vee C$ ' is a sentence of LSL. But, the symbol string ' $(p \& q) \vee r$ ' is *not* a sentence of LSL. Why?
- We use a *metalanguage* to talk about the object language LSL. This metalanguage is not formalized. It's mainly English, plus *metavariables* like ' p ', ' q ', ' r ', and *selective quotes* '' and ''.
- If $p = '(A \vee B)'$, and $q = '(C \rightarrow D)'$, then what are the following?
 - ' $p \& q$ ' [$(A \vee B) \& (C \rightarrow D)$], ' $p \& q$ ' [$p \& q$], ' p ' [p], ' q ' [q]
- And, which of the following are true?
 - p has five symbols [true]. ' p ' has five symbols [false].
 - ' $p \& q$ ' is a sentence of LSL [true]. So is ' $p \& q$ ' [false].

The Five Kinds (Forms) of *Non-Basic* LSL Sentences

- Sentences of the form ' $p \& q$ ' are called *conjunctions*, and their constituents (p, q) are called *conjuncts*.
- Sentences of the form ' $p \vee q$ ' are called *disjunctions*, and their constituents (p, q) are called *disjuncts*.
- Sentences of the form ' $p \rightarrow q$ ' are called *conditionals*. p is called the *antecedent* of ' $p \rightarrow q$ ', and q is called its *consequent*.
- Sentences of the form ' $p \leftrightarrow q$ ' are called *biconditionals*. p is called the *left-hand side* of ' $p \leftrightarrow q$ ', and q is its *right-hand side*.
- Sentences of the form ' $\sim p$ ' are called *negations*. The sentence p is called the *negated sentence*.
- These 5 kinds of sentences (+ *atoms*) are the *only* kinds in LSL.
- Next, we begin to think about "translation" from English into LSL.

English \rightarrow LSL I: Basic Steps Toward Symbolization

- Sentences with *no* connectives are *trivial* to "translate" or symbolize:
 - 'It is cold.' \rightarrow ' C '.
 - 'It is rainy.' \rightarrow ' R '.
 - 'It is sunny.' \rightarrow ' S '.
- Sentences with just one sentential connective are also pretty easy:
 - 'It is cold and rainy.' \rightarrow ' $C \& R$ '. [why two atomic letters?]
- ☞ Try to give the most *precise* (fine-grained) LSL rendition you can, and try to come as close as possible to capturing the meaning of the original.
- Sentences with two connectives can be trickier:
 - 'Either it is sunny or it is cold and rainy.' \rightarrow ' $S \vee (C \& R)$ '.
- Q: Why is ' $(S \vee C) \& R$ ' incorrect? A: The English is *not* a conjunction.

English \rightarrow LSL II: Symbolizing in Two Stages

- ☞ When symbolizing English sentences in LSL (especially complex ones), it is useful to perform the symbolization in (at least) *two stages*.
 - Stage 1:** Replace all basic sentences (explicit or implicit) with atomic letters. This yields a sentence in "Logish" (neither English nor LSL).
 - Stage 2:** Eliminate remaining English by replacing English connectives with LSL connectives, and properly grouping the resulting symbolic expression (w/parens, etc.) to yield pure LSL.
- Here are some simple examples involving only single connectives:

English:	"Logish":	LSL:
Either it's raining or it's snowing.	Either R or S .	$R \vee S$
If Dell introduces a new line, then Apple will also.	If D , then A .	$D \rightarrow A$
Snow is white and the sky is blue.	W and B .	$W \& B$
It is not the case that Emily Bronte wrote <i>Jane Eyre</i> .	It is not the case that E .	$\sim E$
John is a bachelor if and only if he is unmarried.	J if and only if not M .	$J \leftrightarrow \sim M$

English \rightarrow LSL III: Symbolizations involving '&' and ' \vee '

- We use '&' to symbolize a variety of English connectives, including:
 - 'and', 'yet', 'but', 'however', 'moreover', 'nevertheless', 'still', 'also', 'although', 'both', 'additionally', 'furthermore' (and others)
- There is often more to the meaning of 'but', 'nevertheless', 'still', 'although', 'however' (and other such English connectives) than merely 'and'. But, in LSL, the closest we can get to these connectives is '&'.
- On the other hand, there are fewer English expressions that we will symbolize using ' \vee '. Typically, these involve either 'or' or 'either ... or'.
- But, less typically and more controversially, there is one other English connective we will symbolize as ' \vee ', and that is 'unless'. Seem strange?
- Intuitively, ' p unless q ' means something like 'if not q , then p '. But, in LSL, ' $\sim q \rightarrow p$ ' is *equivalent* to (means the same as) ' $p \vee q$ '. [Ch. 3.]

English \rightarrow LSL IV: Symbolizations involving ' \rightarrow ' (and ' \leftrightarrow ')

- \Rightarrow We will use ' \rightarrow ' to symbolize *many* different English expressions. These will be the most controversial and tricky of our LSL symbolizations. *E.g.:*
- 'if p then q ' \rightarrow ' $p \rightarrow q$ '
 - ' p implies q ' \rightarrow ' $p \rightarrow q$ '
 - ' p only if q ' \rightarrow ' $p \rightarrow q$ '
 - ' q if p ' \rightarrow ' $p \rightarrow q$ '
 - ' p is a sufficient condition for q ' \rightarrow ' $p \rightarrow q$ '
 - ' q is a necessary condition for p ' \rightarrow ' $p \rightarrow q$ '
 - ' q provided p ' \rightarrow ' $p \rightarrow q$ '
 - ' q whenever p ' \rightarrow ' $p \rightarrow q$ '
 - ' p is contingent upon q ' \rightarrow ' $p \rightarrow q$ '
 - ' $p \rightarrow q$ ' is equivalent to ' $(p \rightarrow q) \& (q \rightarrow p)$ ' (so mastering ' \rightarrow ' is key)

English \rightarrow LSL V: Grouping Two or More Binary Connectives

- Whenever three or more LSL sentence letters appear in an LSL sentence, parentheses (or brackets or braces) must be used (carefully!) to indicate the intended *scope* of the connectives. Otherwise, problems ensue ...
- E.g.*, ' $A \& B \vee C$ ' is *not* an LSL sentence. It is *ambiguous* between ' $(A \& B) \vee C$ ' and ' $A \& (B \vee C)$ ', which are *distinct* LSL sentences.
- The term "*well-formed formula of LSL*" ("LSL WFF") is synonymous with "*LSL sentence*." Non-well-formed strings of symbols aren't sentences.
- In English, the string of English words 'Porch on the is cat a there' is ungrammatical — it is *not well-formed*. All of its *constituent parts* are English words/letters, but (*as a whole*) it's not an English sentence.
- Similarly, in LSL, the following strings of symbols are not WFFs:

' $A \rightarrow \vee B$ ' ' $A \& B \vee C$ ' ' $A \rightarrow B \rightarrow C$ ' ' $\sim \vee B(\vee C)$ ' ' $A \& B \& C$ '

English \rightarrow LSL VI: Negation, Conjunction, and Disjunction

- The tilde ' \sim ' operates *only* on the unit that *immediately* follows it. In ' $\sim K \vee M$ ', \sim affects only ' K '; in ' $\sim(K \vee M)$ ', \sim affects the entire ' $K \vee M$ '.
- 'It is not the case that K or M ' is *ambiguous* between ' $\sim K \vee M$ ' and ' $\sim(K \vee M)$ '. **Convention:** 'It is not the case that K or M ' \rightarrow ' $\sim K \vee M$ '.
- 'Not both S and T ' \rightarrow ' $\sim(S \& T)$ '. [Chapter 3: ' $\sim(S \& T)$ ' means the same as ' $\sim S \vee \sim T$ '. But, ' $\sim(S \& T)$ ' does *not* mean the same as ' $\sim S \& \sim T$ '.]
- 'Not either S or T ' \rightarrow ' $\sim(S \vee T)$ '. [Chapter 3: ' $\sim(S \vee T)$ ' means the same as ' $\sim S \& \sim T$ ', but ' $\sim(S \vee T)$ ' does *not* mean the same as ' $\sim S \vee \sim T$ '.]
- Here are some examples involving \sim , $\&$, and \vee (not, and, or):
 - Shell is not a polluter, but Exxon is. \rightarrow ??
 - Not both Shell and Exxon are polluters. \rightarrow ??
 - Both Shell and Exxon are not polluters. \rightarrow ??

- 4. Not either Shell or Exxon is a polluter. $\rightarrow ??$
- 5. Neither Shell nor Exxon is a polluter. $\rightarrow ??$
- 6. Either Shell or Exxon is not a polluter. $\rightarrow ??$

- Summary of translations involving \sim , $\&$, and \vee (not, and, or):

“Logish”	LSL
Not either A or B .	$\sim(A \vee B)$
Either not A or not B	$\sim A \vee \sim B$
Not both A and B .	$\sim(A \& B)$
Both not A and not B . (Neither A nor B .)	$\sim A \& \sim B$

- DeMorgan Laws (we will *prove* these laws in Chapters 3 & 4):
 - $\lceil \sim(p \vee q) \rceil$ is equivalent to (means the same as) $\lceil \sim p \& \sim q \rceil$
 - $\lceil \sim(p \& q) \rceil$ is equivalent to (means the same as) $\lceil \sim p \vee \sim q \rceil$
- But, $\lceil \sim(p \vee q) \rceil$ is *not* equivalent to $\lceil \sim p \vee \sim q \rceil$.
- And, $\lceil \sim(p \& q) \rceil$ is *not* equivalent to $\lceil \sim p \& \sim q \rceil$.

English \leftrightarrow LSL VII: Summary of the LSL Connectives

English Expression

LSL Connective

not, it is not the case that, it is false that	\sim
and, yet, but, however, moreover, nevertheless, still, also, although, both, additionally, furthermore	$\&$
or, unless, either ... or ...	\vee
if ... then ..., only if, given that, in case, provided that, on condition that, sufficient condition, necessary condition, unless (Note: don't confuse antecedents/consequents!)	\rightarrow
if and only if (iff), is equivalent to, sufficient and necessary condition for, necessary and sufficient condition for	\leftrightarrow

English \leftrightarrow LSL VIII: More on Conditionals & Biconditionals

- 'if p then q ' and ' q if p ' both get translated as ' $p \rightarrow q$ '.
- 'if p then q ', ' q if p ' and ' $p \rightarrow q$ ' are all ways of saying p is a *sufficient condition* for q (or q is a *necessary condition* for p).
- ' q only if p ', however, is symbolized ' $q \rightarrow p$ ', and says that p is a *necessary condition* for q (or q is a *sufficient condition* for p).
- It is important not to confuse necessary conditions with sufficient conditions (or, 'if' with 'only if'). Helpful examples:
 - 'Your computer will work *only if* it is plugged in.' (true)
 - versus*
 - 'Your computer will work *if* it is plugged in.' (false!)
- Prerequisites are *necessary* but *not* sufficient for getting into a course. *If* you get in, *then* you've satisfied the prerequisites (\leftrightarrow).

English \leftrightarrow LSL IX: More on \rightarrow and \leftrightarrow , Continued

- In English, there are many ways to say 'if p then q ', e.g., ' q , provided p ' and ' q , whenever p '. These all become ' $p \rightarrow q$ '.
- ' p unless q ' and '*unless* q , p ' both get translated as ' $\sim q \rightarrow p$ ' (or as ' $q \vee p$ '). In chapter 3, we'll see why these are *equivalent*.
- 'Your computer will *not* work *unless* it is plugged in' says your computer being plugged in is a *necessary condition* for your computer to work (' $\sim W$ unless P ' \rightarrow ' $\sim P \rightarrow \sim W$ ' \approx ' $W \rightarrow P$ ').
- Necessary conditions N are consequents, and sufficient conditions S are antecedents: ' $S \rightarrow N$ ' (a useful mnemonic).
- 'if p then q and if q then p ' (i.e., ' p if and only if q ', or, for short, ' p iff q ') gets translated into the *biconditional* ' $p \leftrightarrow q$ '.
- ' $p \leftrightarrow q$ ' says that p is *both* necessary and sufficient for q .
- ' $p \leftrightarrow q$ ' is basically an *abbreviation* for ' $(p \rightarrow q) \& (q \rightarrow p)$ '.